



INTERNATIONAL WATERSKI & WAKEBOARD FEDERATION

RACING RULES

EFFECTIVE 1ST JANUARY 2026

The 2026 IWWF Racing Rules will remain unchanged until January 2028. However, safety rules may be changed or introduced at any time at the discretion of the International Waterski & Wakeboard Federation Racing Council

Final approved/confirmed version March 2026

2026 INTERNATIONAL WATER SKI & WAKEBOARD FEDERATION

RACING RULES

CONTENTS PAGE ORDER

<u>RULE 1</u>	GENERAL
<u>RULE 2</u>	DIVISIONS OF COMPETITIONS
<u>RULE 3</u>	ENTRY REQUIREMENTS
<u>RULE 4</u>	JUDGES - RACE OFFICIALS
<u>RULE 5</u>	SPECIFICATION OF COMPETING BOATS
<u>RULE 6</u>	CREW OF THE BOATS & COMPETITORS EQUIPMENT
<u>RULE 7</u>	FLAGS
<u>RULE 8</u>	DEPARTURE & CIRCUIT
<u>RULE 9</u>	CONDUCT OF THE RACE
<u>RULE 10</u>	TIMING
<u>RULE 11</u>	PROTESTS
<u>RULE 12</u>	EXCLUSIONS AND PENALTIES

INDEX [A](#)[B](#)[C](#)[D](#)[E](#)[F](#)[G](#)[H](#)[I](#)[J](#)[K](#)[L](#)[M](#)[N](#)[O](#)[P](#)[Q](#)[R](#)[S](#)[T](#)[U](#)[V](#)[W](#)[X](#)[Y](#)[Z](#) **Rule(s)**

• ALCOHOL	Consumption of	4.17 9.16
• ANCHOR	Type	5.22
	Line	5.23
• BATTERY	Stowage	5.19
• BILGE PUMP		5.29
• BOATS	Maximum length	5.01
	Structural state	5.21
	Distances apart	8.03 9.06 9.12
	Decibel level	5.17
	Substitutions	8.11
	F2	5.33
	F3	5.34
• BRIEFING	Pre-Race	4.14
• BUOYANCY		5.25
• CALCULATORS		4.13
• CHAMPIONSHIPS	Inability to attend	1.06
	Frequency	1.07
• COMPASSES		5.26
• COMPETITIONS	Division of	2.01 2.06 2.07 2.08 2.09
	Details of	8.01
• COMPETITORS	Sportsmanlike behaviour	9.15
• CONTROL CABLES		5.09
• CREWS	Definition of	6.01
	Age requirements	6.02 2.06
• DANGEROUS BEHAVIOUR		8.08
• DISPLAY BOARD		7.04
• DISQUALIFICATIONS		12.03
• DRIVER	Conduct during race	9.07
• DROP OFF AREA		4.14 9.14
• ENGINE	Condition	5.15
	Displacement	5.02
	Electrical harness	5.16
	Eligibility	5.20 5.34
	Exhaust Systems	5.17
	Mountings	5.14
	Wells	5.30
	When skier falls	9.02
• FINISH OF RACE		10.03
• FIREFIGHTING EQUIPMENT	Competitors	5.24
	Judges & Safety boats	4.16
• FLAG POLE HOLDER		5.31
• FLAGS	Orange	6.09 9.01 9.02
	Specification & meanings	7.01 7.02 7.03
• FLARES		5.28
• FOOTWEAR		6.07

• FUEL	Lines	5.11
	Tanks	5.10
	Type	5.11
• GIVING WAY	During race	9.11
• HELMETS	Specifications	6.08
	Wearing of	9.13
• INSURANCE	Third party	3.04
• JACK PLUG		5.12
• JUDGES	Appointment of	4.01 4.02
	Assistant	4.10
	Chief	4.01 4.02
• JURY	Appointment of	4.02
• LAP SCORERS		4.13
• LICENCES	International	3.01
	Home country government	3.05
	Suspension or removal	12.04
• LIFE JACKETS	Skiers	6.06
	Drivers and Observers	6.07
• MEDICAL PRACTITIONER		4.15
• NUMBERS	Dimensions of	5.03
	On trailers	5.27
• OBSERVERS	Conduct during race	9.01-9.02
• OVERTAKING		8.07 9.04 9.06
• PENALTIES		12.01-12.02
• POINTS CALCULATION		10.05
• POINTS SCORERS		2.04
• PROPELLERS	Security	5.18
• PROTESTS		11.02 11.03 11.04
• RACE COURSES		8.03
• RACE DISTANCES		8.01
• RACE ORGANISER		4.08
• RESCUE SERVICE		4.09
• RULES	Amendments	1.05
	Exceptions	1.03
	General	1.01-1.02
	Interpretation	1.04
• SAFETY OFFICER		4.09
• SCRUTINEER		4.10
• SEATS	In competing boats	5.13
• SHARP EDGES	Mascots, bow fittings etc	5.06
• SKIER	Contact with boat	9.02
	Fastening of tow line	9.08-9.09
	Proper skiing position	10.04
	Remaining in wake	9.03
• SKIS		6.03
• STARTER		4.11
• STARTS	Types of	8.02
	Procedure	8.03-8.04

• STEERING	Gear etc	5.08
• SUMMARY JUDGMENTS		12.05
• TEAMS	Divisions of competition	2.01 2.06 2.07
	Notification of	3.02
• THROTTLE CONTROL		5.12
• TIMEKEEPERS		4.12
• TIMING		10.01-10.02
• TOWING CLEAT		5.04
• TOW LINE	Skiers	6.04 , 6.05
* TOW ROPE	Boats	5.05
* TURNS	Marking of	8.05
	Conduct of competing boats	9.10 8.05
	Control of	4.06 8.06
* VIDEO CAMERAS		4.03
* WINDSHIELD		5.07

TECHNICAL RULES - WATER SKI RACING

RULE 1: GENERAL

1.01 These rules set forth are the Technical Rules for Water Ski Racing sanctioned by the International Water Ski & Wakeboard Federation (IWWF). With the exception of entry requirements and other administrative matters, the Regions must follow these rules for their sanctioned races. It is requested Federations establish rules as close to these as possible. Whenever the masculine is used, the same shall be construed as meaning the feminine where the context so requires.

1.02 These rules are concerned with:

- (a) Circuit Races (more than 2 laps)
- (b) Distance Races (point to point)
- (c) Time Trials.

1.03 Exception to the rules - complementary rules.

Where compliance with the rules is impossible and where complementary rules in connection with the circuit are needed, complementary articles will be set forth by the organisers, in agreement with:

- 1. for World Championships, the IWWF Racing Council
- 2. for Regional Championships, these complementary rules have to be sent to the Regional Racing Council, together with the Technical Dossier.

1.04 Interpretation of the rules

Questions of interpretation of the rules shall be referred to the IWWF Racing Council or their representative where possible. An arbitrator may be appointed for IWWF rule interpretation. Any interpretation made by IWWF Racing Council as a whole shall be considered final. Otherwise, the interpretation shall be made by a majority vote of the appointed Judges, and the Chief Judge shall make a report to the IWWF Racing Council for World Championships, and for Regional events to his Region Racing Council. The Chief Judge shall make a detailed homologation to the IWWF Racing Council, or to his Region Racing Council.

1.05 Amendments to the rules

The rules may be amended at any time by the IWWF Racing Council. They shall become effective sixty (60) days after they are sent to the President of each affiliated Federation which must be at least 60 days **before the 1st January in any year. The same provisions will apply in respect of Region sanctioned Races.**

1.06 The inability for one reason or another of a country to attend the World or

Region Racing Championships (including political reasons) doesn't require the entire competition to be cancelled or postponed or that the titles are any less World or Region titles.

- 1.07** The World Racing Championships shall be held biennially in odd numbered years. The World Championships will be a four-race series with only the three best scores counting to individual overall standings. A Federation's best 4 scores on each race day shall be counted for the Team Overall Trophy.

RULE 2: DIVISIONS OF COMPETITIONS

2.01 The competition stands open to all skiers, either man or woman.

In the final results each classification has to be made for each sex separately. Eligibility to represent a Federation at a World Championship is governed by the IWWF Rules of Eligibility for World Titled Events.

2.02 Categories of Competition Open Men, Open Women, F2 Men, F2 Women, F3 Men, F3 Women, Junior Boys and Junior Girls

A Federation may nominate a Team of 3 men + 1 Reserve, 3 Women + 1 Reserve and 3 Juniors+ 1 Reserve **per category of competition.**

Each Federation Team Captain will nominate the grid position for the first round only.

Skiers must qualify by competing in their chosen category in the series of events from which selection is made for their Federation team.

2.03 Reserves

Reserve skiers must be nominated by the federation Team Captain prior to the commencement of the competition.

Reserves may ski in all 4 races in his category and accrue points for the overall individual championships.

Reserve skiers must be designated prior to the first-round pole draw by their federation's team captain. If a reserve is not designated then the skier in the 4th grid position of their federation Race 1 will be designated as their federation's reserve skier.

In the event of a member of a Federation's Team being unable to ski, the reserve skier may ski as a federation team member and score points for the federation trophy. Individual points cannot be carried forward from the retired skier to the reserve skier.

If a team member is unable to ski and returns to the competition, they are not eligible to score team points if a reserve skier was eligible to score federation trophy points in the original skier's absence, Individual points cannot be carried forward from a retired skier to a reserve skier.

2.04 Federation Team Trophy

ONLY Open Men, Open Women, F2 Men, F 2 Women, Junior Boys and Junior Girls scores will be counted for the Federation Team Trophy.

The Federation's best 4 scores of each race day shall be counted for the Federation Team Trophy.

2.05 Open

The reigning Open World Champions - male and female - are eligible to ski in the Open World Championships if entered by their own respective Federations, but cannot accrue Federation Team Trophy points unless selected as a member of the Federation Team. In the case of a World Champion entering as an Individual and not in the Federation Team he will start on the back grid of the first round of the competition.

Skiers who placed in **the first three places overall in the last two Open World Championships** are ineligible to step down to Formula 2. They must wait until 2 world championships or a maximum of four years have expired since they placed in the **first three places overall in the Open World Championships to be eligible to step down to F2.**

2.06 Juniors

Juniors may only ski behind an F2 **or F3 Boat.**

Race to be 30 mins + 1 lap duration.

The minimum age of any skier participating in the Junior World Championships is 13 years attained as at the 31st December in the year preceding the Championships.

The maximum age of any skier participating in the Junior World Championships is 16 years as at the 31st December in the year preceding the Championships. This means that the last year of eligibility of a skier is the year in which he has his 17th birthday.

2.07. Formula 2.

Formula 2 Men will race in the same race as the Men's Race and Formula 2 Women will race in the same race as the Women's Race.

Only skiers who have **not placed in the first three places overall in the last two Open World Championships or maximum of 4 years** are eligible to compete in Formula 2.

Skiers must qualify by competing in the Formula 2 class in the series of events from which selection is made for their Federation team.

The reigning Formula 2 World Champions - male and female are eligible to ski in the World Championships if entered by their own respective

Federations, but cannot accrue Team Points unless selected as a member of the Federation Team.

In the case of a reigning F2 World Champion entering as an Individual and not in the Federation Team, he will start on the back grid of the first round of the competition.

Skiers who have placed in the first three places overall in the last F2 world championships are ineligible to step down to Formula 3.

They must wait for two World Championships or maximum of 4 years to be eligible to step down a class to Formula 3.

2.08 Formula 3

The Formula 3 Men will race in the same race as the Men's Race and the Formula 3 Women will race in the same race as the Women's Race.

Formula 3 skiers must qualify by competing in the Formula 3 class in the series of events from which selection is made for their Federation team.

Only skiers who have not placed in the first three places overall in the last two Formula 2 World Championships or maximum of 4 years are eligible to compete in Formula 3.

2.09 Masters.

A maximum of 3 men + 1 reserve and 3 women + 1 reserve from each Federation will be permitted to compete in the **Masters** Competition at World Championships.

Masters' category skiers must qualify by competing in the Masters class in the series of events from which selection is made for their Federation team.

The minimum age of any skier participating in the Women's Masters World Championships is 50 years attained as at the 31st December in the year preceding the Championships.

The minimum age of any skier participating in the Men's Masters World Championships is 55 years attained as at the 31st December in the year preceding the Championships.

Masters class skiers, male and female may only ski behind an F2 or F3 boat.

RULE 3: ENTRY REQUIREMENTS

- 3.01** Each competitor must have in his possession an international licence issued by his Federation, endorsed by Region Racing Council on behalf of IWWF.
- 3.02** Each Federation shall notify the organisers of the names of their teams participating. The Chief Judge shall be notified of the Team members by the Team Captain prior to the start of each race.
- 3.03** A team is defined as a skier, driver and observer. One member of the boat crew and the skier shall be of the entering team's nationality.
- 3.04** Race Organisers must provide facilities for third party insurance for entrants and each boat must be insured against third party risks for a minimum of SF3,000,000 or the equivalent in local currency. Competitor to competitor insurance is not compulsory. The current policy of insurance with a valid renewal receipt for the same must be produced before or at the time of inscription.
- 3.05** In addition, any driver residing in a country whose Government controls the issue of boat driver licences shall not be permitted to compete in a race unless he has possession of such a licence.

RULE 4: JUDGES - RACE OFFICIALS

- 4.01** At least six (6) months prior to the start of official practice at a World Championships, the President of the IWWF shall appoint the Chief Judge for the World Championships from among the judges proposed by each Regional Racing Council.
- 4.02** The President of the IWWF Racing Council shall also appoint the **9** event judges, **3** from each region, the assistant to the Chief Judge and the Chief Calculator from among those proposed by each Regional Racing Council. Appointments for Region sanctioned events shall be made by the Region President on Region Racing Council's recommendation.
- 4.02 (a) Conflict of Interest**
Should any Judge/s find themselves in a position that could be deemed to be, or has the potential for, a conflict of interest, they must advise the Chief Judge accordingly. It is recommended that the Chief Judge ensure that any member of the voting jury with family members competing in any capacity steps down from the jury panel for the event in which their family member is competing. The Chief Judge shall appoint a reserve member for each jury to replace a member stepping down.
- 4.03** The control and observation at turn buoys will be carried out by event judges

and assistant judges who will submit a report to the Chief Judge at the end of the race. Video cameras may be used at World Championships, as an aid to judging, the use of the video to be at the discretion of the Jury prior to the start of the event. Cameras to be at the start, turns and finish. On request of the Chief Judge the video tapes shall be immediately handed to the Jury. At the completion of the Championships the tapes will be returned.

The organising committee of a World Championship shall apply to the Racing Council 90 days before the start of the championships for the possible use of other types of cameras and tracking devices as an aid to judging. The use of such devices will be at the discretion of the Jury.

- 4.04** Assistant Judges shall be qualified National or International racing judges. They will be briefed by the Chief Judge and report infringements of the rules they have observed to the Chief Judge as soon as possible. They are not empowered to impose penalties themselves directly.
- 4.05** The Chief Judge is responsible for briefing his assistant judges and for verifying that time-keepers, lap recorders and calculators carry out their jobs correctly.
- 4.06** The Jury for each separate race shall consist of 4 event judges selected by the Chief Judge. The Chief Judge shall not serve as an Event Judge. In case of disagreement between the Judges the majority shall decide. In the case of a tie, the Chief Judge shall have a casting vote and decide the outcome but will not otherwise be involved as an Event Judge. When all adjudication has concluded the decision of the Jury as communicated by the Chief Judge will be posted and the Jury's decision is final for the event and not subject to an appeal.
- 4.07** When there is a judging report, the Team Captains should be interviewed together with the competitors involved. The Judge making the report should also be interviewed. All relevant information should be discussed during consideration of the judging report with the Judge making the report, the Team Captains and the competitors involved all having the opportunity of making comments. After all relevant parties have had an opportunity to be heard the Jury shall make its decision which will be communicated via the Chief Judge to the Team Captain prior to the posting of the results. When all adjudication has concluded the final results will be posted and the Jury decision will be final for the event and not subject to an appeal.
- 4.08** Race Organizer: **Organising Committee shall submit nominations and resumes and shall be appointed by the IWWF Racing Council** for the level of the competition and will be responsible for the pre-race organization. He will act under the direction of the Chief Judge on the day or days of the Races and must not be a competitor at that event.

4.09 Safety Officer:

The Safety Officer is normally a member of the organising Federation with expert knowledge of local water conditions, responsible for deployment of safety boats and advising the Race Organiser and the Chief Judge of dangerous conditions. He may also be required to advise the Race Organiser and Chief Judge on the likely safety of competing boats under local water conditions before the Chief Judge allows the first boat to start in a race.

It is the Safety Officer's responsibility to brief rescue boat drivers and to check that all competing and **official** boats are safely accounted for at the conclusion of racing. The Safety Officer, with the consent of the Chief Judge, shall take whatever action is necessary whenever he observes a condition to be unsafe. He shall remain in personal or radio contact with the Chief Judge.

4.10 Chief Scrutineer: **Organising Committee shall submit nominations and resumes and shall be appointed by the IWWF Racing Council for the level of the** competition and by reason of his special technical knowledge of ski boats and their use in water similar to that on which the race will take place. He is responsible for seeing no boat starts in **in an IWWF World Waterski Racing Championships** race until it and all racing equipment meets all Technical Rules and the engine(s) fall within the class structure for which entry has been made.

4.11 Starter: normally someone with reasonable experience of water ski racing. Will be appointed and briefed by the Chief Judge in consultation with the Race Organiser.

4.12 Official Timekeepers will be appointed by the organising Federation.

4.13 The Chief Calculator: **Organising Committee shall submit nominations and resumes and shall be appointed by the IWWF World Racing Council.**

Lap scorers and assistant calculators will be appointed by the Race Organiser of organizing Federation, but are ultimately responsible to the Chief Judge.

4.14 The organisers must hold a pre-race briefing supervised by the Chief Judge and the Safety Officer, during which fullest possible details must be given concerning navigation, details on passing, course and safety of the competition, including the dropping off area at the conclusion of the race. Competitors must comply.

4.15 A qualified Medical Practitioner or trained Paramedic must be present at events and on-site during race practice. His decision on a competitor's fitness is final.

- 4.16** All Judges, rescue and safety boats must carry appropriate firefighting equipment, **enough life jackets for all personnel in the vessel and must be safety scrutineered.**
- 4.17** On the day of the competition no alcohol is to be consumed by judges and officials until after completion of the competition.
- 4.18** A judge must be available for team practice on site.

RULE 5: SPECIFICATION OF COMPETING BOATS

The Chief Scrutineer will be responsible to the Chief Judge and the scrutineering standards are given herewith:

5.01 A. Boat used for towing skiers must not exceed 6.5 meters in overall length. The overall length is measured between the two perpendiculars, one at the bow of the boat (A), the other at the point where the bottom intercepts the transom (B). (See diagram #1). Intersection of keel and transom is key to all other measurements.

B. An extension shall be for the purpose of mounting an outboard motor (s) or a drive leg(s) to the transom of the boat used for towing skiers. The extension can be attached as a fabricated bracket and bolted to the transom or it can be molded to the transom of the boat used for towing skiers. Maximum length of the extensions and power unit (s) combined shall be 1.4 meters. There is a minimum dimension of 150 mm (6") measured from the lowest part of the extension to the intersection of the bottom of the boat to the transom, or the projected line of the transom if it does not continue to the bottom of the hull. No part of the extension shall be in the water while the boat towing skiers is on plane.

C. No "COSMETIC" extensions or protrusions are allowed in the 150 mm (6") NO GO ZONE. (See drawing # 2--View to transom) Adjustable trim tabs ARE allowed in this 150 mm (6") NO GO ZONE. A racing hull shall have a maximum of two adjustable trim tabs and they shall be a minimum of 600mm apart.

D. The length of the outward chine shall be limited to 6.60 m in overall length (A to B-1 see Drawing # 1) This allows for some design in the outward angle of the transom, the additional .10 m is equal to 3.937 inches.

Drawing # 2 with top views, side view and view to transom are part of this rule. B - C is defined as----Transom to propulsion point (e.g. end of propeller shaft, nozzle of jet unit, 1.4 m [PENALTY 12.03 Disqualification](#)

NEWLY DESIGNED BOATS FOR TOWING SKIERS.....


All newly designed boats or new models shall have their design and measurements approved by the IWWF Racing Council before construction and entering a World Championship. [PENALTY 12.03 Disqualification](#)

F2 Boat length AB 5.79 m to 6.5 m

F3 Boat length AB 5.16m to 6.5m


Rule 5.01

Drawing #1




Rule 5.01

Drawing #1 BIS




Rule 5.01

Drawing #2



Rule 5.01

Drawing #2 BIS



5.02 Total displacement of the engine(s) whether inboard or outboard shall not exceed 9.42 litres or 575 ci. Formula 2 as per Rule 5.33 and F3 as per Rule 5.34

PENALTY 12.03 Disqualification

5.03 Numbers must be displayed in black on a background of white, by means of waterproof material, in such a manner they are visible on both sides of the boat when planning. On a white or light coloured boat it is suggested a thin framed edge be placed around the background a minimum of 25mm from the number edge. The minimum dimensions of individual numbers will be height of 300mm, width 225mm, thickness 50mm and spacing 125mm. However, if hull space permits, larger numbers are encouraged. The number can only consist of maximum 3 figures and no boat will be allowed to start in a race until the requirements of this Rule are satisfied. Numbers will be allocated by the host nation on the following basis.

1. Team Captains will request use of numbers when submitting entries.
2. If there is a duplication of numbers preference will be given to a visiting nation.
3. If two visiting nations request the same number the number will be allocated to the nation whose request is received first.

5.04 Towing Cleat or Eye

Shall be adequate in itself and shall be adequate for towing the boat when water logged.

5.05 Tow Rope/Mooring Lines

- (a) Shall be strong enough for the purpose.
- (b) A tow rope must be carried, either attached to the tow cleat or easily accessible under the observer's seat.
- (c) It shall not be long enough to reach the propeller.

5.06 Sharp Edges

All mascots, lights, bow fittings, cameras and other sharp edges shall be adequately protected or removed.

5.07 Windshield (if fitted)

- (a) Shall be well secured.
- (b) Shall not be of plate or ordinary glass.
- (c) Scrutineers may order the removal of any windshield that appears dangerous.

5.08 Steering Gear

- (a) Steering wheel and drum shall be secured and locked on to the shaft.
- (b) Steering wheel unit shall be fixed to, or through, the dash panel or a steering mounting bar and shall be through bolted and locked.
- (c) Steering wheel strength shall be checked, if the wheel is split or cracked the wheel shall be rejected. Wheels of the laminated rim type shall be checked for wear caused by the breakdown of the laminations. Plastic composition wheels shall be checked for early fatigue where the spokes join the boss to ensure the wheel cannot be forced to spin on the internal boss without undue minimum amount of pressure.
- (d) Where shackles or such devices are used to attach the steering to outboard engines, they shall not be of a non-ferrous metal. Scrutineers shall satisfy themselves this is so even if the shackles are painted.
- (e) Pulleys shall operate freely and shall be through bolted with positive locking.
- (f) Steering wires shall be in good condition and shall have free running throughout their path, with adequate tension throughout their travel.
- (g) Wires shall be secure and where doubled to form an eye shall be around a thimble and shall be secured with two bull-dog clips or equivalent.
- (h) Lock wiring on all shackles, stretching screws etc. in the system shall be secure.
- (i) There shall be no undue degree of play in the steering system, but steering wires shall not be over-tightened in a “piano-wire” fashion.
- (j) For outboards - attachments to the engine, for inboards attachments to tillers and/or quadrants and their fitting to the stock shall be in good condition and secure.
- (k) Engine or tiller and rudder shall operate with full and free movements in the correct sense.
- (l) Rudder assemblies, gland keys etc shall be in good condition and secure with locked nuts and/or tight split pins.
- (m) Rack and pinion steering shall be in good mechanical condition with no excessive backlash. Casings should also be checked.
- (n) All pulleys with riveted pins of non-ferrous materials shall be rejected or the pins shall be replaced by a positively locked steel bolt. Pulleys should also, if possible, incorporate a bush.

(o) All pulleys with any tension shall not cause the yoke to clamp down on the pulley wheel.

(p) All pulleys which use an attachment hook of non-ferrous material shall be rejected.

(q) All attachment hooks shall be closed.

(r) Sheathed steering cables shall not be permitted, Morse type systems exempt.

(s) Wires to the steering wheel running across the front of the dashboard shall effectively be shielded.

(t) It is also recommended wires running fore and aft inside the cockpit be similarly shielded.

(u) Jet boats must be fitted with a rudder extending below the bottom of the boat and operating in conjunction with the normal jet steering.

(v) Cable, hydraulic, dual ride steering acceptable. No wireless steering.

Hydraulic Steering.

1. All hydraulic hoses shall be for hydraulic purposes only.
2. There shall be no leaks in the hydraulic system.
3. All bolts that connect the hydraulic pumps to the boat and motor shall be secured.
4. Only purpose made hydraulic hoses and fittings are allowed.
5. (For Inboards). Oil filters and oil coolers shall be firmly attached to the boat or motor.

(w) Inboards and Outboards - Repairs to Stern Drives

Should any part of the outboard/out drives be welded or repaired below the cavitation plate line, then a certified x-ray to show structural integrity is required and must be permanently stamped or engraved on the cavitation housing by the repairer with the date of repair for identification purposes. This certification must be renewed every 12 months.

5.09 Control Cables

All control cables shall be taped or screwed down securely.

5.10 Fuel Tanks

- (a) Shall be secure in all directions.
- (b) Shall not leak.
- (c) Shall have sensible filling and venting arrangements where applicable, that are not close to any hot parts, such as exhaust manifolds. Should be insulated or isolated from the engines etc, preferably by bulkheads.
- (d) It is recommended there should be an easily accessible means of shutting the fuel supply off from the tanks.

5.11 Fuel Lines and Fuel Type

PENALTY 12.03 Disqualification

- (a) Must be suitable for fuel type being used and run in a manner to avoid damage. Lines shall be in good condition with proper connectors. Flexible hoses and pipe runs should be clipped up at suitable intervals with fair runs to the engine (at all points of travel in the case of outboards).
- (b) Fuel or gasoline is unrestricted and competitors are responsible for the supply of their own fuel type.

Please note: As at 2021 fuel used at the IWWF World Racing Championships to be unleaded premium grade pump fuel as commercially available in Host Federation. No Av Gas or race fuels, except commercial two or four stroke oils.

- (c) The delivery, transportation, and storage of the gasoline used, shall comply with the law and regulation of the host country. This concerns also the environmental regulation which shall be fully respected.

5.12 Jack Plug and Throttle Control

- (a) Path and length of the cord shall ensure disconnection of the plug whatever direction of ejection.
- (b) Plug cord and attachments shall be adequate, a spare plug to be carried in the boat.
- (c) Shall actually cut the engine completely when operated.
- (d) No device shall be fitted to render the jack plug inoperative.
- (e) Control unit shall be within easy reach of the driver in his normal position.
- (f) Unit shall be attached securely to the boat structure.

(g) All throttles must be operated by foot whether inboard or outboard. Throttles must be spring loaded to close at the engine and must function accordingly.

(h) Throttle operation may be by wire of an approved type.

5.13 (a) Seats: shall be of adequate strength and firmly secured.

PENALTY 1%

(b) Handholds All boats must have adequate stationary handholds fixed securely to be located to prevent entrapment of boat crew. All handholds must be in a convenient position for observers.

PENALTY 1%

(c) Footrests All boats are required to have adequate footrests for observers and to be suitably located for bracing observer within seat.

They shall be firmly fixed and of such construction that the observer's foot may not be caught underneath.

PENALTY 1%

5.14 Engine Mountings and Transmissions for Outboards.


PENALTY 12.03 Disqualification

(a) Engine brackets shall be secure and in satisfactory condition.

(b) Engine mountings shall be attached to the transom with at least four bolts.

(c) All bolts shall be adequately tightened.

(d) To restrict the height a single outboard is mounted on the transom with the outboard trimmed so the prop shaft is parallel to the bottom of the hull, **the centre of the prop must be 60mm below the running surface or the bottom of the boat. (Distance taken 500mm from rear of transom).**



- (e) No removal of metal from the skeg and no modification to the water intake.
- (f) Where an outdrive (or jet unit) is fitted, the outdrive ring connection to the transom and the unit to the ring shall be secure.
- (g) Transmission and all parts motivated by the engine shall be efficiently shielded so as to prevent damage to persons or structure in the event of breakage. For shafts in excess of one foot in length the shielding shall not allow more than 1cm clearance at either end.
- (h) Bearers shall not be saturated with oil.

5.15 Engine Condition

- (a) The engine shall be free of dangerous corrosion, oil or fuel leaks or excessive heating and shall not be a danger to any adjacent structure. Oil leaks are a particular source of fire danger.
- (b) For inboard engines, flame traps are recommended.

5.16 Electrical Harness

Properly protected terminal boards shall be used with flexible (not solid core) cabling supported well up to the terminals and at suitable intervals throughout their runs. Where relative movement or vibration occurs across a gap, cable shall be sheathed in plastic or metal tube anchored at both ends. Reinforced cable suitable for marine duty should be used. Electrical equipment in engine compartment shall be a minimum and away from heat or fuel.

5.17 Exhaust Systems

Shall conform to organising Federation's standards of decibels or a maximum of 105 db(A) at a distance of 30 metres. There shall be adequate insulation where required and runs sited to avoid fire.

PENALTY 12.03 Disqualification

5.18 Propeller Security

- (a) Propeller shall be sound, particularly at the blade roots.
- (b) It should be ascertained that the propeller nut can be securely locked.

5.19 Battery Stowage

- (a) Batteries, where carried, shall be easily accessible and prevented from any movement in any direction.

(b) Shock cords shall not be accepted for batteries in excess of 4.5kg weight. (Remember a 15kg battery weighs over 150kg at 10g.) See there is adequate support below the battery.

(c) Batteries shall not be placed in a sealed compartment.

5.20 Engine Eligibility

Scrutineers shall check to ensure an engine has not been changed from that recorded before or after the race. Scrutineers are not expected to remember specifications of each and every engine; they should inspect for any fairly obvious sign that might have altered the declared engine displacement. Scrutineers are entitled to request any post-race strip or examination of leading boats or those influencing Championship points, which they consider necessary at competitor's expense.

PENALTY 12.03 Disqualification

5.21 Structural State

Scrutineers are not expected to undertake a "condition survey" of the boat, but general appraisal shall be made of the structure. The following points should, however, be checked:

- (a) Split planks, fractured frames and beams and transom knees or their equivalent in reinforced plastic or alloy hulls.
- (b) Steering mounting (structure)
- (c) Shaft brackets and mechanical items other than those already covered.
- (d) Bilge shall be free of oil or debris. Remember oil causes structural deterioration, fuel is dangerous and debris chokes pumps etc.

5.22 Anchor (if required by the organisation)

Shall be of weight and type adequate to hold the boat. Shall be properly stowed to prevent damage, but shall still be accessible. The use of an anchor shall be governed by the type of venue or if a requirement of the local marine authority.

5.23 Anchor Line

If anchor required, the following shall apply for anchor line:

- (a) Shall be of a size and strength appropriate to the boat.
- (b) Shall be in good condition.
- (c) Shall be at least 35 metres in length.
- (d) Shall be attached at the time of scrutineering, to the boat and the anchor. It shall perform no other function.

5.24 Extinguisher System

- (a) Shall be of satisfactory condition and easily accessible.
- (b) Only fully charged extinguishers shall be permitted and they shall not contain carbon tetrachloride.
- (c) It is recommended the extinguisher be capable of putting out a petrol fire of at least 4 sq. metres.

5.25 Buoyancy

All boats shall have sufficient buoyancy to keep afloat in all conditions. Buoyancy aids or material shall be adequately fixed. Scrutineers shall not be responsible for determining the adequacy of the buoyancy in any boat, but may suspend clearance if in doubt and refer the matter immediately to the Chief Judge.

5.26 Ballast Tanks

- (a) Ballast tanks must be securely fastened with the means of either bolted in or permanently fiber glassed into position.**
- (b) All ballast tanks must be fitted with a breather.**
- (c) Sandbags i.e. unfixed ballast tanks are not allowed.**

5.27 Boat number on trailer

To assist recovery boat numbers should be painted clearly on the trailer on the starboard side at the hitch.

5.28 Flares (if required by the organisation)

Smoke signals are recommended for daylight use and flares after dusk. Flares normally have a stamped expiry date and if they have expired or the date is illegible or the condition poor, they shall not be accepted. A minimum of three flares must be carried.

5.29 Bilge Pump

- (a) Shall be in proper working order and properly secured to the boat.
- (b) Shall be reasonably accessible for operation.
- (c) Shall have a suction pipe to the lowest suction point of the bilges and a discharge pipe overboard.
- (d) It must be possible to pump out all sections of the boat, even if separated by water-tight bulkheads.

5.30 Engine Wells

For boats with engine wells, any non-sealed openings, other than self-draining holes in the transom, shall be above a horizontal line through the lowest point of the top of the transom.

5.31 Flag Pole Holder

Shall be fixed to the boat in an accessible position to the observer.


5.32 Paddles

- (a) Shall be stowed for immediate use, not loosely stowed.
- (b) Shall be of practical form related to the size of boat and in useable condition.

5.33 Formula 700 Inboards and Outboards Rules of Eligibility to Compete.

Penalty for non-Compliance [12.03 Disqualification](#)

- (a) Hulls – Minimum length of hull shall be 19 ft or 5.79 metres. See Rule 5.01
- (b) This class is for single rigg outboards, twin rigg outboard and 700Hp production inboard.
- (c) Standard low emission (CARB rated) engines manufactured in 2003 and onwards only.
- (d) To restrict the height a single outboard, or twin rigg outboard, the engine is mounted on the transom with the outboard trimmed so the prop shaft is parallel to the bottom of the hull, **the centre of the prop must be 60mm below the running surface or the bottom of the boat. (Distance taken 500mm from rear of transom).**




- (e) No removal of metal skeg and no modification to the water intake.
- (f) No modifications are permitted. **No nose cones permitted unless standard gear box for that model is available with a nose.**
- (g) The manufacturer's original location pickups must be maintained.
- (h) No performance enhancing.
- (i) New models must be ratified by the IWWF World Racing Council before being accepted.
- (j) Engine capacity – Maximum manufacturer's rating of 600Hp i.e. 2x300Hp outboards as per ICOMA Rating schedule 28 Outboard or single max 600Hp outboard single engine as per ICOMA ratings 28. 700Hp productions inboard controller engine.
- (k) All engines must carry manufacturer's model number, serial ID plates, stickers and tags. These will be located on the engine.
- (l) The upgrading of engines from their original year specifications will not be accepted.
- (m) The factory supercession of parts is acceptable.
- (n) Standard gear box available for the engine model only . 15" – 20" shaft length allowed.
- (o) No mechanical means of height adjustment for the motor whilst in motion.
- (p) Original factory Engine Management System to remain in place and unaltered.
- (q) No steering is to be wireless.
- (r) Formula 700 class shall be restricted to commercially available unleaded pump fuel. No avgas, racing fuel or octane boosters.
- (s) All engines are to be sealed & come with documentation from a qualified sealer. Seals must have ID number & seal number included in documentation. A copy of documentation must be presented by the federation Team Captain at registration. All engines will be inspected by the **WRC appointed Chief Scrutineer** prior to competition. Permission to make changes due to mechanical failure must be sought from the Chief Scrutineer and motor represented for scrutineering and resealing.
- (t) All engines competing in Formula 700 will be technically inspected after each race and at the completion of the competition. Seals will be checked at these inspections.

5.34 Formula 2 Rules of Eligibility to Compete.

Penalty for non-Compliance

12.03 Disqualification

- (a)Hulls – (i)Minimum length of hull shall be 19 ft or 5.79 metres.
- (b)This class is for single outboards only.
- (c)Standard low emission (CARB rated) engines manufactured in 2003 and onwards only.
- (d)To restrict the height a single outboard is mounted on the transom with the outboard trimmed so the prop shaft is parallel to the bottom of the hull, **the centre of the prop must be 60mm below the running surface or the bottom of the boat. (Distance taken 500mm from rear of transom).**



- (e)No removal of metal skeg and no modification to the water intake.
No modifications are permitted. **No nose cones permitted unless standard gear box for that model is available with a nose**
- (f) The manufacturer's original location pickups must be maintained.
- (g) No performance enhancing.
- (h)New models must be ratified by the IWWF World Racing Council before being accepted. Engine capacity – Maximum manufacturer's rating of 300Hp as per ICOMA Rating schedule 28
- (i) Engine capacity – Maximum manufacturer's rating of 300Hp as per ICOMA Rating schedule 28
- (j) All engines must carry manufacturer's model number, serial ID plates, stickers and tags. These will be located on the engine.
- (k)The upgrading of engines from their original year specifications will not be accepted.

- (l) The factory supercession of parts is acceptable.
- (m) Standard gear box available for the engine model only .
ONLY 20" shaft length allowed. Where there is a choice of gear box, choice is to be nominated and retained for all 4 races . (See Mechanical failure)
- (n) No mechanical means of height adjustment for the motor whilst in motion..
- (o) Original factory Engine Managment System to remain in place and unaltered
- (p) No steering is to be wireless.
- (q) F2 Class shall be restricted to commercially available unleaded pumped fuel.
No avgas, racing fuel or octane boosters.
- (r) All engines are to be sealed & come with documentation from a qualified sealer. Seals must have ID numbers & seal number included documentation. A copy of the documentation must be presented by the federation Team captain at registration. All engines will be inspected by the organising committee prior to competition. Permission to make changes due to mechanical failure must be sought from the Chief Scrutineer and motor represented for scrutineering and resealing.
NOTE: Gearbox must remain the same as was nominated at the beginning of the competition as per section 5.34 (h) where there is a choice of gear box , choice is to be nominated and retained for all 4 races.
- (s) All engines competing in F2 will be technically inspected after each race and at the completion of the competition. Seals will be checked at these inspections.
- (t) Mechanical failure: broken parts can be replaced due to damage/ breakdown . If gearbox fails and needs to be replaced it must be replaced by a gear box the same as the gear box that was presented pre-event.**
- (u) All repairs of replaced parts mut be checked by the Chief Scrutineer before the Chief Judge in consultation with the Chief Scrutineer decides if the vessel may enter another race at the IWWF World Waterski Racing Championships.**

Rule 5.34

5.34 Formula 3 - Rules of Eligibility to Compete.


Penalty for non-Compliance [12.03 Disqualification](#)

(a)Hulls – Minimum length of hull shall be 17 ft or 5.16 metres. **With no cosmetic extensions.** See Rule 5.01. Maximum as rule 6.5m

(b) This class is for single outboards only.

(c) Standard low emission (CARB rated) engines manufactured in 2003 and onwards only.

(d) To restrict the height a single outboard is mounted on the transom with the outboard trimmed so the prop shaft is parallel to the bottom running surface of the hull, **the centre of the prop shaft must be 60mm below the running surface or**



bottom of the boat. (Distance taken at 500mm from rear of transom).

(e) No removal of metal from the skeg and no modification to the water intake.

(f) No modifications are permitted with the exception torque tamers.

(g) The manufacturer's original location of water pickups must be maintained.

(h) No performance enhancing.

(i) Engines manufactured in 2003 and onwards must be approved by the IWWF Racing Council. The IWWF reserves the right to approve or not approve any engine. Currently IWWF approved 2003 and onwards engines

- Mercury 150 Optimax
- Mercury 150 Pro XS
- Mercury Pro XS 4 stroke
- Yamaha 150 4 stroke

New models must be ratified by IWWF before being accepted.

- (j) Engine capacity- Maximum manufacturer's rating of 150HP as per ICOMA Rating schedule 28. **Standard consumer models only. No race engines.**
- (k) All engines must carry manufacturer's model number, serial ID plates, stickers and tags. These will be located on the engine.
- (l) The upgrading of engines from their original year specifications will not be accepted. The factory supercession of parts is acceptable.
- (m) Seating Pilot and Observer side by side. Backward facing Observer seat can't be positioned aft of driver's seat. **Observer Seat must be fixed, no slide bases.**
- (n) Standard gear box available for the engine model only. **No nose cones.** (Unless standard gearbox for that model.) Only 20" shaft length allowed.
- (o) No mechanical means of height adjustment for the motor whilst in motion. If fitted must be fixed in position. **Set back at maximum distance of 10 inch from standard transom position.**
- (p) Original factory Engine Management System to remain in place and unaltered. **IWWF reserve the right to check or change the ECU**
- (q) No steering is to be wireless.
- (r) F-3 class shall be restricted to commercially available unleaded pump fuel. No avgas, racing fuel or octane boosters. **(Standard oil for 2 stroke is allowed.)**
- (s) All engines are to be sealed & come with documentation from a qualified sealer. Seals must have ID numbers & seal number included in documentation. A copy of documentation must be presented by Owner on request.
- (t) All engines competing in F3 will be technically inspected at the completion of competition. Seals will be checked at these inspections.
- (u) **Ballast containment must be fitted in the front 2 thirds on the hull.**
- (v) Trim tabs spacing 600mm apart. Maximum length 500mm total transom mounted.
- (w) Boat weight to be no less than 600kg. This is a dry weight all structural parts must be permanently attached.

5.35 The Chief Judge shall have final authority to determine whether equipment to be used by a contestant meets the above safety requirements

RULE 6: CREW OF THE BOATS & COMPETITORS EQUIPMENT

6.01 The crew consists of a boat driver and an observer.

6.02 The minimum age for a driver shall be 18 years of age and the minimum age for an observer shall be 18 years of age.

6.03 Either one or two skis may be used. But skis must be:

In serviceable condition.

(a) Structurally damaged skis i.e., splits, cracks or repairs will be disallowed.

(b) The skis must be fluorescent flame orange except fins and bindings and running surfaces for a minimum of 40cms. The underside of the ski from the tip must be orange for at least 20cm.

(c) Competitors may tape lower legs, feet or ankles, but not in a manner that would stop their feet coming free of the ski binders in the case of a fall. Legs, ankles or feet must not be taped directly to either the ski or binders. Any type of harness to stop free movement of legs, ankles or feet is prohibited.

6.04 (a) The minimum length of the tow line is 21 metres, including handles, with a maximum length of 75 metres also including handles. Length of ski tow line to be limited and governed by safety and venue.

PENALTY 1%

(b) Rope launchers/ hole shot must be securely attached to the hull at all times.

PENALTY 1%

(c) Should the rope launcher exit the cockpit and is unattached to the hull

PENALTY 10%

6.05 Either single or double handles may be used, ski ropes and handles to be part of skier's personal equipment.

6.06 Life jackets / Buoyancy Vests, wetsuits for skiers

(a) Wet suit or buoyancy vest

(b) A buoyancy jacket or specialised ski racing buoyancy incorporated wetsuit approved by their Region or National Federation must be worn and must meet the following requirements: -

i. Buoyancy jackets are to be fitted with mandatory leg straps, unless the buoyancy aid is worn under a wetsuit

ii. Wet suits designed specifically for water ski racing with built in buoyancy are recommended

iii. All buoyancy aid types must have a minimum of 3 chest straps

- iv. All buoyancy systems shall have adequate flotation to keep the wearer's head adequately above the water, with deflated lungs (fully exhaled) in a float test.
- v. The colour of the buoyancy jacket or wet suit must be fluorescent on all areas above the line of the wearer's navel (belly button).
Logos or lettering are not permitted in this area with the exception of the product manufacturer's logo (see below), with free choice of colour for the chest straps and stitching.
- vi. Maximum dimensions for the product manufacturer's logo
Back of the wetsuit - the manufacturer's logo cannot take up more than 150 square centimetres or 24 square inches on the back of the wetsuit.
Front of the wetsuit - the manufacturer's logo cannot take up more than 75 square centimetres or 12 square inches on the front of the wetsuit.

NOTE: Skiers are allowed to wear long sleeved rash vests under wetsuit. No colour restriction.

6.07 Life Jackets, Buoyancy Vests & Footwear - Driver, Observer

Drivers and Observers shall wear a life jacket in an easily visible and fluorescent colour - excluding white, black or silver. All boat crew members competing in events shall be required to wear a waist-coat type unaltered life jacket with leg straps.

Life jackets must be equipped with collars and/or must have flotation material high on the chest to hold an unconscious person's face out of water. Life jackets and life collar, if any, must be securely fastened at all times, while on course - racing or testing. Leg straps must be securely fastened to life jacket and legs. Life jackets must meet the following inspection requirements:

1. Lacing ties and/or straps shall be adequate and in good condition.
2. Zips, where used, shall be in working order.
3. Tears or rents or bad repairs whereby buoyancy will leak out shall not be permitted.
4. Jackets shall be dry and not oil or water-logged.
5. Jackets shall be fitted with hold-down straps to the legs.
6. Closed toe footwear is compulsory.

6.08 Helmets

All skiers shall wear helmets of a type currently approved by their Region provided it meets the following requirements.

- (a) The colour fluorescent orange.
- (b) Cover for the ears to prevent ruptured ear drums when the head hits the water in a sideways fall.
- (c) A secure fit on the head.
- (d) Secure straps – correctly adjusted. Helmet strap and fastening device must be as manufacturer's design and NOT altered.
- (e) The helmet must float.
- (f) The possibility of 'bucketing' or forcing water between the helmet and the head to be reduced by either a very close fitting about the head or substantial drain holes fitted within the helmet.
- (g) Skiers are not permitted to have any form of camera(s) attached to their helmet.
- (h) Non-skiing team members shall wear helmets in good condition and conforming to International Safety standards. All helmets must be in good condition and devoid of dents and splits. Any holes drilled to improve hearing must not exceed 4mm diameter nor number more than one each side. (This is in order the helmet is not weakened.)
- (i) Helmets constructed from plastic material may not be painted unless this is authorised by the manufacturer, but should be of a bright orange colour.
- (j) Helmets made from fibreglass may not be painted.
- (k) Helmets' visors shall be in good condition and devoid of cracks and easily detachable (i.e., not bolted down). Visors must not be secured in any way which prevents them lifting up (i.e., taping).

6.09 Orange Flag

PENALTY 10%

Observers shall have available in the boat a flame orange flag not less than 50 x 50cm fixed to a pole of minimum 1 metre length.

6.10 Blue & White Medical Flag

PENALTY 10%

All boats will carry a blue and white medical flag, dimensions 50x50 cm. The flag will be ½ blue and ½ white (separated diagonally) on each side. This will be raised only when assistance is required.

RULE 7: FLAGS

7.01 The following flags are required:

Dimensions: 100 x 100cm

- Green** Pre start and identifying flag for Judges, safety and rescue boats. Dimensions: 100 x 100cm
- Yellow** Caution. The Judges and Safety boats will raise the yellow flag when a skier has fallen, when a skier is in the water or in any other case of interference after the National flag has started the race. Dimensions: 100 x 100cm
- Red** Stop the race. The Judges and Safety boats will raise the flag to stop the race. At the completion of a race the raising of the red flag will indicate "return to the pit area". Dimensions: 100 x 100cm
- Black** Disqualification. The black flag is used to notify a competitor he has been disqualified and must retire from the race. When the black flag is shown the number of the team being disqualified should be displayed in figures not less than 300mm high at a point designated by the Chief Judge. Dimensions: 100 x 100cm
- Blue** The blue flag is used to signal to all competitors that the leader of the race has begun his last lap. Dimensions: 100 x 100cm (½ pink and ½ green (separated diagonally) on each side for 2nd class.)
- Chequered** Finish. The black and white chequered flag indicates the end of the race. Dimensions: 100 x 100 cm
- A red and white chequered flag indicates the end of the race for the 2nd class. Dimensions: 100 x 100 cm
- Blue and White** All boats will carry a **blue** and white medical flag. Dimensions 50 x 50cm. The flag will be ½ Blue and ½ white (separated diagonally) on each side. This flag will be raised only when assistance is required.

7.02 Each Judge's boat must continuously fly a **green** flag for identification; they also carry **yellow**, **red** and **black** flags on board. The **red** and the **black** flags can only be used after communication with the Chief Judge, and on his instructions.

7.03 The Safety and Rescue boats must continuously fly a **green** flag for identification.

7.04 Display Board

It is a requirement at World Racing Championships that a display board be mounted in full view of the spectators and the competitors, minimum dimension 3 metres x 3 metres, top half of board to display current positions of competitors, bottom half to advise Team Captains of impending reports and possible infringements or penalties.

RULE 8: DEPARTURE & CIRCUIT

8.01 Details of the competition shall be given by the organisers with the help of a plan, which shall be sent with the invitation. All courses shall run in an anti-clockwise direction. There shall be a minimum water depth of 1.5 metres for all courses.

Race Distances: Men - 1 hour + 1 lap; Women - 45 mins + 1 lap; Juniors - 30 mins + 1 lap.

Before a race may be declared a minimum time of 51% of the race must be recorded.

8.02 According to local circumstances any of the following methods of starts may be chosen:

- (a) Grid start with separate timing for each group.
- (b) Simultaneous mass start.
- (c) Time trial - interval starts.

8.03 All starts are only allowed if a distance of at least 10 metres on either side of each competing boat is allowed for. It is recommended the distances between the starting line and the first turn is 2.5kms. Races to be conducted over a 5km course where possible. A warning signal will be sounded and a yellow flag raised to indicate 15 mins to the start.

8.04 For simultaneous mass start, a 5-minute signal shall be given by raising the National flag together with a green flag on a starting boat or dock in sight of the skiers and boat crew. The 30 seconds signal shall be given by lowering the green flag. Skiers may then enter the water from their boats which may take up the slack in the ski line. The start will be signalled by the lowering of the National flag and skiers must not be in a skiing position until the start is signalled. In addition, the start may be indicated by the firing of a flare. Boats must not be over start line prior to the lowering of the National flag. When the starting procedure is stopped the red flag must be raised during the interruption. The new start procedure shall normally be of 3 minutes instead of 5 minutes. The new 3-minute start shall follow the normal procedure. In grid starts the boats are to take the position they are allotted. Penalty for starting in incorrect poll will be 1% of the provisional winner's time. **PENALTY 1%**

8.05 It is obligatory that all turns shall be marked by buoys, moored vessels or permanent sea marks. All course markers shall be passed on the outside. No changing of lanes is permitted from within 100 metres of the turn buoy or mark, this distance to be clearly shown by a 100metre buoy or marker, until the skier rounds the buoy and attains a straight line on the natural course.

PENALTY 12.01 Up to 10%

8.06 Boats, which can take aboard at least two Judges chosen by the Chief Judge, will stand at near proximity to all turns.

8.07 In closed circuit racing the Jury must state at the briefing and display on a blackboard the manner of

passing other competitors. The designated manner of passing other competitors must be complied with. A fallen skier may be passed on whichever side is deemed to be the safest.

PENALTY 12.01 Up to 10%

8.08 The passing driver or observer shall acknowledge sight of a fallen skier by raising a hand. Failure to comply may incur a penalty.

PENALTY 1%

8.09 A skier or a team shall not be allowed to start or continue in the competition if in the opinion of the Chief Judge, after consultation with the Safety Director and/or Jury, their presence would be a danger to themselves or other competitors.

8.10 The organisers must provide an adequate rescue service at all times during the competition.

8.11 Substitution of Boats

A competitor may substitute a boat or engine once a boat or engine is pronounced unserviceable by the Chief Scrutineer, advising the Chief Judge who will rule. The Chief Judge may obtain independent technical advice.

The original hull or engine may only be resubmitted with the specified permission of the Chief Judge.

8.12 Substitution Forms must be used at World Championships.

8.13 Grid Positions

For first race Federation's nominees by means of a draw, after first event grid positions will be allocated on each competitor's previous race finishing position. Non finishers will be determined on distance completed in the race.

8.14 In the event of a race having to be red flagged, if the race is 51% complete, then the event is final. If the race is less than 51% complete the race will be started again. Following a red flag situation, the Chief Judge will decide whether the race will be a continued race or an entire new race.

If the restart is a continuation of the original race, the number of completed laps prior to the red flag is carried forward to the restarted race and the pole positions will be determined by the placing as of the last completed lap prior to the red flag. The team causing the red flag, and teams who have retired from the race, are not allowed to restart the race whether the restart is a continuation of the original race or a new race.

Procedure to be followed when a red flag is displayed to stop a race.

1. All course boats are to display a red flag.
2. All competitors must stop immediately
3. No further laps will be timed after the red flag is shown
4. When red flag is lowered, competitors may return to the bank.

DRAFT

RULE 9: CONDUCT OF RACE

9.01 In case of a fall of a competitor, the driver must immediately stop the boat and the observer must display the flame orange flag. The driver will turn to pick up the skier without interfering with the progress of the race. In picking up a fallen skier the driver must give right of way to oncoming boats and then turn in whichever direction is safer.

PENALTY 12.01 Up to 10%

9.02 A fallen skier is allowed to make physical contact with the boat and crew to enable the replacement of equipment. At all times whilst such action is being carried out, the motor of the tow boat "will be dead or in neutral, i.e. Propeller not rotating". The flame orange flag must remain visible until the skier is in proper skiing position.

PENALTY 12.01 Up to 10%

9.03 For a single skier race the skier must remain in the wake of the towing boat for the entire race.

PENALTY 12.01 Up to 10%

9.04 An overtaking boat must not cut in until their skier is 100 metres ahead of the boat being overtaken.

PENALTY 12.01 Up to 10%

9.05 Observers must remain seated in the cockpit of the boat and must keep the skier under observation at all times during his participation in the event.

PENALTY 12.01 Up to 10%

9.06 Boats shall not follow closer than 100 metres directly behind any skier except when overtaking, in which case it is imperative the driver should keep his boat in a different line than the preceding one. When a pass (100m) is completed, the boat and skier may move to the inside of the course

PENALTY 12.01 Up to 10%

9.07 The driver must keep his attention ahead of the boat at all times.

PENALTY 12.01 Up to 10%

9.08 Skiers are strictly prohibited from fastening their tow line or the handle of the tow line to their body in any way whatsoever. It is permissible to hook one arm through the bridle of the ski rope. No means of adjusting skier's rope length allowed. Damaged ropes may be replaced during races.

PENALTY 12.03 Disqualification.

9.09 The skier must always have at least one hand on his tow line.

PENALTY 12.01 Up to 10%

9.10 When taking a turn, the teams on the outside must leave room for teams on the inside.

PENALTY 12.01 Up to 10%

- 9.11** Refusing to give way to other competitors is strictly prohibited.
PENALTY 12.01 Up to 10%
- 9.12** Drivers must maintain a minimum lateral distance of 2 metres between their boat and other competing boats after the start.
PENALTY 12.01 Up to 10%
- 9.13** All team members shall wear their helmets and safety gear in the normally accepted manner during the race and whilst under power on race day or practice periods.
PENALTY 12.03 Disqualification
- 9.14** Skiers must drop off in the areas indicated by the Chief Judge at the race briefing.
PENALTY 12.01 Up to 10%
- 9.15** Competitors and officials must act at all times in a sportsmanlike manner towards other competitors and officials. Any competitor or official who is in contravention of Rule 9.15 shall be subject to appropriate disciplinary action agreed by the IWWF Racing Council by majority decision.
- 9.16** On the day of the competition no alcohol to be consumed by competitors until after completion of event. Competitors will be breath tested prior to competing on each race day. A designated time for breath testing will be set for each event. No testing will be conducted outside this designated time period. Failure to present for breath testing will result in disqualification. Full details of breath testing will be included in event briefing. **PENALTY 12.03 Disqualification**
- 9.17** The use of drugs is prohibited as per the regulations of the current IWWF Anti-Doping Rules and policies.
PENALTY 12.03 Disqualification
- 9.18** Competitors must inform the Jury or **Jury's Nominated Representative** of intention to train on site on practice days. Failure to comply may lead to suspension from subsequent events. **PENALTY 12.03 Disqualification**

RULE 10: TIMING

10.01 Timing will be accurate to at least one hundredth of a second, this precision holding good as well for departure as for arrival of a skier.

10.02 Places in the competition shall be determined according to the skier times made, after addition of the penalties, if any.

10.03 When the leading team completes 1 hour in the Men's Race (45 minutes for Women – 30 minutes for Juniors) the blue flag will be displayed as the bow of the leading team's boat crosses the finish line to indicate the leader is on his/her final lap. The blue flag (100cm x 100cm) will be displayed to the leader when 20 seconds prior to the designated time of the race has elapsed. On completion of the leading team's final lap the black and white chequered flag will be raised. All the following skiers will finish on the chequered flag. A maximum of 15 minutes after the leader crosses the line will be allowed for other competitors to finish the race. When there are 2 classes in a race a separate set of flags will be displayed to each class. For class 2, a flag 100cm x 100cm, ½ pink and ½ green (separated diagonally) will be used for 1 lap to go and a red and white chequered flag (100cm x 100cm) will be used for completion of the final lap.

10.04 A skier is not to be placed in a competition unless he is in a proper skiing position when crossing the finish line. A proper skiing position is defined as that position in which all of the following exists:

- (a) The skier has possession of the tow lines.
- (b) The skier is riding forwards or backwards with a ski or skis on his feet.
- (c) The weight of the skier is entirely supported by his ski or skis and the skier is in good balance, or if he is able ultimately to regain a good balance.

10.05 1000 POINT RULE

In each complete race points shall be awarded on the following basis: The race shall be timed and the time of the official winner will represent 1000 points, the remaining skiers will receive points based on the following formula:

Winner's Time from racing distance in average per 1 km x 1000
Skiers/Team Time from racing distance in average per 1 km

Such points to be calculated to two decimal places. The third place will be ignored.

A winner who normally gets 1000 points, shall not obtain the 1000 points, even if he remains the first in the classification, after being penalised.

In any case, for points calculations only the real time of the first skier will be taken. If the first skier is penalised, shall not get 1000 points, even if he is still the Winner of the Race, after penalisation.

The results issued after the races shall show the arrival times, average speed and points of skiers. The number of laps and the distance made shall be used only for the calculations.

DRAFT

RULE 11: RESULTS & PROTESTS

11.01 Provisional results should be posted as soon as practicable after the conclusion of the event. The results should be signed by the Chief Judge or, in the case a Jury meeting, by all members of the Jury.

In either case, the results should contain the time of posting.

11.02 Protests on the results or against another contestant must be made to the Steward appointed by the Council Chairman from Racing Council members available; by the Team Captain of the Team lodging the protest. The protest must be in writing, indicate the reason for the protest, a diagram of the incident, the names or identity of all other relevant witnesses and must be filed within 30 minutes after the provisional results are posted. When the steward is satisfied that the required information has been provided and the Protest Fee paid, the protest shall be lodged with the Chief Judge who shall mark the results as "Protest Pending."

At the expiration of 30 minutes from the provisional results being posted, the results will become final and no protest can be accepted.

The Chief Judge & Jury shall then handle the protest in the same manner as a judging report. See Rule 4.07

11.03 Protests must be accompanied by the approximate equivalent in local currency of **US \$300**. This amount will be refunded if the protest is considered reasonable by the Jury.

11.04 As soon as practicable after the conclusion of the hearing in relation to the protest, the Chief Judge shall post the final results for the event as communicated by the Jury. The decision of the Jury is final and not subject to an appeal.

RULE 12: EXCLUSIONS AND PENALTIES

- 12.01 (a)** For contravention of Rules 8.05, 8.07 and the whole of Rule 9, with the exception of 9.08, 9.13, 9.16, 9.17 and 9.18, the Chief Judge, **on the decision of the Jury**, will impose penalties on a team by adding a time of up to 10% of the PROVISIONAL winner's time from racing distance in average per 1 km, to that of the defaulting team. **PENALTY Up to 10%**
- (b) Any official or competitor who is in contravention of Rule 9.15 shall be subject to the appropriate disciplinary action agreed by the Racing Council by majority decision.
- 12.02 (a)** For contravention of Rules **6.04(a), 6.04(b)**, 8.04 and 8.08, the penalty will be 1 % of the provisional winner's time added to the competitor's time. **PENALTY 1%**
- 12.02 (b)** For contravention of Rules **6.04(c), 6.09 and 6.10** **PENALTY 10%**
- 12.03(a)** For contravention of Rules 5.01, 5.02, 5.11 (c), 5.14, 5.17, 5.20, 5.33, 5.34, 9.08, 9.13 and 9.18 the penalty will be **disqualification** from that particular race.
- 12.03(b)** For contravention of Rule 9.16
- 12.03(c) For contravention of Rule 9.17** the penalty will be **disqualification from IWWF World Waterski Racing Championships and forfeiture of any award received or placing points accrued during IWWF World Waterski Racing Championships.**
- 12.04** For a serious contravention of the Rules the Chief Judge may, with a majority decision of the Jury, disqualify and/or recommend the suspension or removal of a driver's, observer's or skier's licence to the IWWF or Region Racing Council Chairman. The re-issue of this licence, however, will be done through the offender's home Federation Technical Committee endorsed by the Region Racing Council on behalf of the IWWF, on re-application by the driver, observer or skier.
- 12.05** The Chief Judge and the Jury shall have the right to give summary judgment on any happening unforeseen in these rules.

Wildcards

The number of skiers per federation permitted to ski in each category will be 4, comprising of 3 skiers and 1 reserve. These four skiers shall be named as the federation team. The reserve skier shall ski in all events and will not accrue Federation Team Shield points unless he replaces an injured nominated federation team member. All 4 skiers can accrue world championship points in each event.

The skier with the most accrued points will be World Champion.

The hosts (Local Organising Committee) of the IWWF Waterski Racing World Championships may seek an exemption from the IWWF World Racing Council to permit wildcards from the host federation to ski .